

# Foundations and Applications of Digital Twins

Prof. Dr. Istvan David  
McMaster University, Canada

[istvan.david@mcmaster.ca](mailto:istvan.david@mcmaster.ca)  
[istvandavid.com](http://istvandavid.com)

October 15, 2024



# Dr. Istvan David



**NSERC  
CRSNG**

DGECR-2024-00293: End-to-end Sustainable Systems Engineering



**IVADO Postdoctoral Laureate 2021**

modeling and simulation  
engineering processes

digital twins for C(B)PS  
reinforcement learning

digital twins and sustainability  
energy-aware systems

PhD in Computer Science (2014–19)  
University of Antwerp, Belgium

Postdoctoral researcher (2021–2023)  
Université de Montréal, Canada

Assistant Professor (2023–)  
McMaster University, Canada



R&D Software Engineer (2012–2014)  
Mentor Graphics, Hungary



Head of Digital Innovation (2019–2020)  
Trigo Group, Hungary/France






# Sustainable Systems and Methods



<https://istvandavid.com/lab>



ALBERTA

MANITOBA

Edmonton

SASKATCHEWAN

Calgary

Winnipeg

ONTARIO

QUEBEC

NEWFOUNDLAND AND LABRADOR

MONTANA

NORTH DAKOTA

MINNESOTA

Ottawa

Montreal

NB

PE

SOUTH DAKOTA

WISCONSIN

Toronto

NEW YORK

MAINE

NOVA SCOTIA

IDAHO

WYOMING

NEBRASKA

IOWA

Chicago

OHIO

PENN

Boston

New York

United States

ILLINOIS

INDIANA

OHIO

Washington

WEST VIRGINIA

KENTUCKY

VIRGINIA

California

Las Vegas

COLORADO

KANSAS

MISSOURI

TENNESSEE

NORTH CAROLINA

Los Angeles

ARIZONA

NEW MEXICO

OKLAHOMA

ARKANSAS

MISSISSIPPI

SOUTH CAROLINA

San Diego

Dallas

ALABAMA

GEORGIA

TEXAS

LOUISIANA

FLORIDA

San Antonio

Houston

Miami

Mexico


Gulf of California

Gulf of Mexico

North Atlantic Ocean

Labrador Sea





Top-5 university in Canada  
Along with UofT, UdeM, McGill, UBC  
#1 world-wide in industry impact (THE'23)  
#1 in Canada in research quality (THE'23)  
#1 in Canada in research intensity  
Top-35 in THE'22 impact rankings

~40,000 students  
34,000 undergrad, 6,000 grad  
18% international from 125 countries  
Grad: 30% international  
Undergrad admission average ~90%

~1000 faculty members (17000 employees)  
110+ endowed chairs, 15 endw. Profs.  
90 Canada Research Chairs  
Research intensity ~\$420k/faculty  
One of Canada's best diversity employers

Digital twins




# Digital twinning




*Physical Twin*


# Digital twinning



# Digital twinning






# Digital twinning



This section contains several hand-drawn diagrams on a black background:

- Mass-Spring-Damper System:** A diagram of a mass  $m$  on a surface with a spring constant  $k$  and a damper  $b$ . A force  $F$  is applied to the mass, and its displacement is  $x$ . A circled  $+c$  is also present.
- Heat Conduction Equation:** The partial differential equation  $\frac{\partial T}{\partial t} = \alpha \nabla^2 T$ .
- 3D Surface Plot:** A 3D plot showing a surface with a color gradient from blue to red, representing a temperature distribution.
- State Transition Diagram:** Two circles labeled 1 and 2 with arrows indicating transitions between them.
- Flowchart:** A hierarchical flowchart with a diamond-shaped decision node.
- Block Diagram:** A block diagram showing an input  $S_e$  with force  $F$  entering a block labeled  $1_x$ . The output branches into three paths:  $C: \frac{1}{k}$ ,  $R: b$ , and  $I: m$ .


# Digital twinning



A collection of hand-drawn diagrams and equations on a black background, illustrating various physical and control models. The top left shows a mass-spring-damper system with a mass  $m$ , spring constant  $k$ , and damper  $b$ . The top center shows the heat conduction equation  $\frac{\partial T}{\partial t} = \alpha \nabla^2 T$  with a 3D surface plot. The bottom left shows a control loop with two nodes labeled 1 and 2. The bottom center shows a block diagram with a summing junction and a gain block. The bottom right shows a transfer function  $\frac{1}{s}$  with parameters  $C: \frac{1}{k}$ ,  $R: b$ , and  $I: m$ .

# Digital "X"



Verdouw et al., 2021



Kritzinger et al., 2018

## A DEVS-based engine for building digital quadruplets

Daniella Niyonkuru and Gabriel Wainer



# Digitalization and digital transformation

## Industry 4.0 and 5.0

I5.0 complements the existing I4.0 approach by specifically putting research and innovation at the service of the transition to a **sustainable, human-centric** and **resilient European industry**




Digital Transformation Pyramid




VISION, EXPERIENCE, ANSWERS FOR INDUSTRY, INFRASTRUCTURE & CITIES

© ARC Advisory Group



<https://www.statista.com/statistics/1134766/nominal-gdp-driven-by-digitally-transformed-enterprises/>


# 2018



Plateau will be reached:

- less than 2 years
- 2 to 5 years
- 5 to 10 years
- ▲ more than 10 years
- ⊗ obsolete before plateau

# Gartner Hype Cycle for Emerging Technologies, 2019



Plateau will be reached:

○ less than 2 years

● 2 to 5 years

● 5 to 10 years

○ more than 10 years

● obsolete before plateau

As of August 2019

# Hype Cycle for Emerging Technologies, 2020



Plateau will be reached:

○ less than 2 years

● 2 to 5 years

● 5 to 10 years

▲ more than 10 years

⊗ obsolete before plateau

As of July 2020

# Hype Cycle for Emerging Technologies, 2021



Plateau will be reached:

○ less than 2 years

● 2 to 5 years


● 5 to 10 years

▲ more than 10 years

⊗ obsolete before plateau

As of August 2021


# Hype Cycle for Emerging Tech, 2022



Plateau will be reached:


- less than 2 years
- 2 to 5 years
- 5 to 10 years
- ▲ More than 10 years
- ⊗ Obsolete before plateau

As of August 2022



# Digital twins for cyber-biophysical systems


## Prevalence of Household Food Insecurity by Province, 2021



## The Global State of Food Security

Best and worst performing countries for food security in 2020\*

- Best performance
- Good performance
- Moderate performance
- Need improvement




\* Affordability, availability, safety, quality and natural resources of food based on 59 unique indicators across 113 countries.

Source: Economist Intelligence Unit




# Prevalence of Household Food Insecurity by Province, 2021



Data Source: Statistics Canada, Canadian Income Survey (CIS) 2020. Data on the territories from this survey not available yet.



# Controlled Environment Agriculture (CEA)





# The challenge of CEA: **control is hard**

*Maximize crop-to-energy ratio*

*Reduce waste*

...

*Each bush must produce 50 grams of*




*per week*

*...starting two months from now*










# Goal modeling



# Models



# DT4CBPS: Conceptual framework and requirements



# Environment

## Room

HVAC



Lights



Irrigation



Negri, E., Fumagalli, L., Cimino, C. and Macchi, M.  
 FMU-supported simulation for CPS digital twin.  
*Procedia manufacturing: 28*, pp.201-206, 2019.

**fmi:** Functional Mock-Up Interface

**fmi:** Functional Mock-Up Interface


$$\frac{dy}{dt} = ky$$

**MATLAB**



**SIMULINK**

# Crop

Energy



Growth




**Python** **MATLAB** **Simulink**

# Digital Twins for Cyber-Biophysical Systems: Challenges and Lessons Learned

Istvan David<sup>\*</sup>, Pascal Archambault<sup>\*</sup>, Quentin Wolak<sup>\*</sup>, Cong Vinh Vu<sup>\*</sup>,  
 Timothé Lalonde<sup>†</sup>, Kashif Riaz<sup>†</sup>, Eugene Syriani<sup>\*</sup>, Houari Sahraoui<sup>\*</sup>  
<sup>\*</sup>DIRO, Université de Montréal, Canada – {firstname.lastname}@umontreal.ca  
<sup>†</sup>Ferme d'Hiver Technologies, Canada – {tlalonde,kriaz}@fermedhiver.ca



## Lessons Learned



AI on the farm: A new path to food self-sufficiency

UDEMNOUVELLES | 03/16/2022 | CAROLINE BOILY


<https://nouvelles.umontreal.ca/en/article/2022/03/16/ai-on-the-farm-a-new-path-to-food-self-sufficiency/>



## Des algorithmes pour transformer l'agriculture hivernale

L'intelligence artificielle s'invite dans fermes verticales de l'entreprise québécoise Ferme d'hiver, qui ambitionne de proposer une solution de recharge technologique et carboneutre à l'importation de fruits et légumes pendant la saison froide.

<https://lactualite.com/techno/des-algorithmes-pour-transformer-lagriculture-hivernale/>



<https://mydigitalpublication.com/publication/?m=1281&i=805712&p=22&ver=html5>

## What the future brings

Exploring sustainable solutions for greenhouse adaptation and survival

# AI Simulation by Digital Twins

The image features a dense forest of green trees in the foreground, with a dark teal gradient sky above. The text "AI Simulation by Digital Twins" is centered in the middle of the image in a white, sans-serif font.

# Hype Cycle for Artificial Intelligence, 2023



## AI Simulation

The combined application of AI and simulation technologies to jointly develop AI agents and the simulated environments in which they can be trained, tested and sometimes deployed.

Some of the best simulators today: in DTs




Xiaoran (Sharon) Liu

- Xiaoran Liu and Istvan David. "AI Simulation by Digital Twins: Systematic Survey of the State of the Art and a Reference Framework". In: ACM/IEEE MODELS-C / EDTConf'24. ACM, 2024.
- Xiaoran Liu and Istvan David. "AI Simulation by Digital Twins: Reference Framework and Mapping on ISO 23247". In: Soft. Syst. Model. Springer. 2024. [Under review]

Plateau will be reached:

- less than 2 years
- 2 to 5 years
- 5 to 10 years
- ▲ more than 10 years

Opportunity:  
***purposeful*** experimentation to acquire missing data





Domains/problems



Digital twins



AI/ML



Lifecycle models



Challenges/limitations



# AI Simulation by Digital Twins

Systematic Survey of the State of the Art and a Reference Framework

Xiaoran Liu  
McMaster University  
Hamilton, Canada  
liu2706@mcmaster.ca

Istvan David  
McMaster University  
Hamilton, Canada  
istvan.david@mcmaster.ca

### ABSTRACT

Insufficient data volume and quality are particularly pressing challenges in the adoption of modern subsymbolic AI. To alleviate these challenges, AI simulation recommends developing virtual training environments in which AI agents can be safely and efficiently developed. Digital twins open new avenues in AI simulation, as these high-fidelity virtual replicas of physical systems are equipped with state-of-the-art simulators and the ability to further interact with the physical system for additional data collection. In this paper, we report on our systematic survey of digital twin-enabled AI simulation. By analyzing 22 primary studies, we identify technological trends and derive a reference framework to situate digital twins and AI components. Finally, we identify challenges and research opportunities for prospective researchers.

### CCS CONCEPTS

• General and reference → Surveys and overviews; • Computing methodologies → Learning settings.

### KEYWORDS

AI, artificial intelligence, data science, deep neural networks, digital twins, lifecycle model, machine learning, neural networks, reinforcement learning, SLR, subsymbolic AI, survey, training

### ACM Reference Format:

Xiaoran Liu and Istvan David. 2024. AI Simulation by Digital Twins: Systematic Survey of the State of the Art and a Reference Framework. In *Proceedings of International Conference on Engineering Digital Twins (EDTConf'24)*. ACM, New York, NY, USA, 12 pages. <https://doi.org/XXXXXXXX.XXXXXXX>

### 1 INTRODUCTION

Modern artificial intelligence (AI) is enabled by massive volumes of data processed by powerful computational methods [84]. This is a stark contrast with traditional AI, which is supported by symbolic methods and logic [69]. The volume and quality of available data to train AI is the cornerstone of success in modern AI. However, accessing and harvesting real-world data is a substantial barrier due to its scarcity, cost, or difficult accessibility, hindering the development of precise and resilient AI models. For example, in manufacturing,

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).  
EDTConf'24, September 23-24, 2024, Linz, Austria  
© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.  
ACM ISBN 978-x-xxxx-xxxx-x/YY/MM  
<https://doi.org/XXXXXXXX.XXXXXXX>

proprietary data, data silos, and sensitive operational procedures complicate the acquisition of data [43]. Data-related barriers, in turn, limit the applicability of otherwise powerful AI methods.

AI simulation is a prime candidate for alleviating these problems. As defined by Gartner recently, AI simulation is the technique of “the combined application of AI and simulation technologies to jointly develop AI agents and the simulated environments in which they can be trained, tested and sometimes deployed. It includes both the use of AI to make simulations more efficient and useful, and the use of a wide range of simulation models to develop more versatile and adaptive AI systems” [47]. After modeling the phenomenon or system at hand, a simulation of the model computes the dynamic input/output behavior [77], representative of the system. A simulation produces data, called the simulation trace, that represents the behavior of the simulated system over time. These traces can be used as training data for AI agents, assuming that the simulation is a faithful, valid and detailed representation of the modeled system, and that the simulation can still be executed efficiently and in a timely manner.

With the emergence of digital twins (DT) [54], the quality attributes of simulators have improved as well. Simulators are first-class components of DTs [36] and enablers of sophisticated services, e.g., real-time adaptation [73], predictive analytics [62], and process control in manufacturing [28]. These advanced services require well-performing and high-fidelity simulators—the types of simulators that align well with the goals of AI simulation.

A recent interview study on DTs with nineteen academic and industry participants by Muctadir et al. [58] mentions that “machine learning and reinforcement learning could possibly be combined with DTs in the future, to help to learn about complex systems (i.e., safety-critical systems) in a virtual environment, when this is difficult to do on the real-world system.” Similar ambitions have been identified by Mihai et al. [56] as future prospects of DTs. Indeed, the improvements in simulator engineering that have been driven by DTs, are generating interest in DTs for AI simulation. It is plausible to anticipate that the next generation of AI simulation techniques will be heavily influenced by the further advancements of DT technology [51, 66]. Therefore, it is important to understand the state of affairs in digital twinning for AI simulation purposes, prepare for the related challenges, and set targeted research agendas.


This work marks a step towards converging AI simulation and DT technology. We review the state of the art on AI simulation by DTs, derive a framework, identify trends in system organization, AI flavors, and simulation, and outline future avenues of research.

*Context and scope.* In this work, we focus on AI simulation by digital twins. We acknowledge the utility of the other direction, i.e., simulators of DTs being enabled by AI [55]; however, we consider such works outside the scope of the current study.



Domains/problems

# DT4AI Reference framework



Digital twins



AI/ML




Lifecycle models



Challenges/limitations

Opportunity:  
**purposeful** experimentation to acquire missing data



Based on: • B. P. Zeigler and T. I. Oren, "Theory of Modelling and Simulation," 1979.  
• H. Vangheluwe et al. "An introduction to multi-paradigm modelling and simulation." 2002.

System


 Domains/problems

 Digital twins


 AI/ML

 Lifecycle models


 Challenges/limitations




**(a) Experimentable DT**



**(b) Experimentable DS**



**(c) Experimentable Model**



**(d) Policy DT**

 Domains/problems

# Deep learning proliferates

 Digital twins

**Table 7: AI methods**

 AI/ML

AI	#Studies	Studies
RL	18 (81.8%)	
↳ DRL	13 (59.1%)	
↳ Value	8 (36.4%)	[2, 10, 14, 15, 18, 19, 21, 22]
↳ Policy	5 (22.7%)	[6, 8, 9, 11, 13]
↳ Vanilla	5 (22.7%)	[4, 7, 16, 17, 20]
DL	4 (18.2%)	[1, 3, 5, 12]
TL	1 (4.5%)	[16]

 Lifecycle models

 Challenges/limitations



Domains/problems

# Deep learning proliferates



Digital twins




AI/ML




Lifecycle models



Challenges/limitations



**(a) Reinforcement Learning**



**(b) Deep Learning**


 Domains/problems

 Digital twins

 AI/ML

 Lifecycle models

 Challenges/limitations



**Frequency of interactions:** might be limited

**Data velocity and volume**

**Fidelity:** hard to assess and ensure

**Instrumentation**

(a) Reinforcement Learning

# Digital twins and sustainability

The image features a dense forest of green trees in the foreground, with a dark teal gradient sky above. The text "Digital twins and sustainability" is centered in the middle of the image in a white, sans-serif font.

# Problem: our systems and methods are not sustainable



“meeting the needs of the present without compromising the ability of future generations to meet their own needs (Brundtland)”

“Technical sustainability addresses the **long-term use** of software-intensive systems and their appropriate **evolution** in a constantly changing execution environment”

P. Lago, S. A. Koçak, I. Crnkovic, and B. Penzenstadler. Framing Sustainability as a Property of Software Quality, Commun. ACM, vol. 58, no. 10, pp. 70–78, Sep. 2015.


Amazon rainforest now emitting more CO2 than it absorbs

Cutting emissions more urgent than ever, say scientists, with forest producing more than a billion tonnes of carbon dioxide a year



## Systems Engineering

Prevalence of Household Food Insecurity by Province, 2021



Data Source: Statistics Canada, Canadian Income Survey (CIS) 2020. Data on the territories from this survey not available yet.



NATURE AND ENVIRONMENT | EUROPE

## Air pollution: Nearly everyone in Europe breathing bad air

Rodrigo Menegat Schuinski  
09/07/2023

With the EU voting on new air quality rules, satellite data shows **98%** people face pollution above limits recommended by the World Health Organization.


f X v



# Digital Twins for Sustainable Systems

**60% of organizations believe** Digital Twin technology is critical to improving sustainability efforts.


(CapGemini, 2022)



Digital thread ► Digital fabric

I. David, D. Bork, and G. Kappel. "Circular Systems Engineering". In: Software and Systems Modeling (2023)

# Top Strategic Technology Trends 2024



# Top Strategic Technology Trends 2024

Rise of the  
Builders

By 2027, 80% of CIOs will have performance metrics tied to the sustainability of the IT organization.



Source: Gartner

Threat Exposure  
Management


Technology

Workforce

Democratized  
Generative AI






- Adoptability and human values
- Simulator inference
- DT evolution
- Energy-efficient DTs



 -I. David, P. Archambault, Q. Wolak, C. V. Vu, T. Lalonde, K. Riaz, E. Syriani, and H. Sahraoui. "Digital Twins for Cyber-Biophysical Systems: Challenges and Lessons Learned". In: 2023 ACM/IEEE 26th International Conference on Model Driven Engineering Languages and Systems (MODELS). 2023, pp. 1–12.

# Energy-efficiency of Digital Twins




Does not trivially translate to energy savings!

State actions		
Add DEVS state	$addState(M, s) : M' = M \mid S \cup \{s\}, ta(s) = \inf$	(8)
Remove DEVS state	$removeState(M, s) : M' = M \mid S \setminus \{s\}$	(9)
State transition actions		
Add internal transition	$addIntTransition(M, \delta = (s_i, s_j)) : M' = M \mid \Delta_{int} \cup \{\delta\}$	(10)
Remove internal transition	$removeIntTransition(M, \delta \in \Delta_{int}) : M' = M \mid \Delta_{int} \setminus \{\delta\}$	(11)
Add external transition	$addExtTransition(M, \delta = (s_i, s_j)) : M' = M \mid \Delta_{ext} \cup \{\delta\}$	(12)
Remove external transition	$removeExtTransition(M, \delta \in \Delta_{ext}) : M' = M \mid \Delta_{ext} \setminus \{\delta\}$	(13)
Time advance actions		
Set time advance	$updateTa(M, s, t' \in \mathbb{R}_{0,+\infty}^+) : M' = M \mid ta(s) = t'$	(14)
Interacting with other models		
Add output	$addOutput(M, y) : M' = M \mid Y \cup \{y\}$	(15)
Remove output	$removeOutput(M, y \in Y) : M' = M \mid Y \setminus \{y\}$	(16)
Add input	$addInput(M, x) : M' = M \mid X \cup \{x\}$	(17)
Remove input	$removeInput(M, x \in X) : M' = M \mid X \setminus \{x\}$	(18)
Model initialization		
Set initial state	$setInitial(M, s \in S, 0 \leq e \leq ta(s)) : M' = M \mid q_{init} = (s, e)$	(19)

## A Survey of Techniques for Approximate Computing


SPARSH MITTAL, Oak Ridge National Laboratory

# Evolution of Digital Twins





- Istvan David and Dominik Bork. "Towards a Taxonomy of Digital Twin Evolution for Technical Sustainability". In: MODELS-C 2023 Companion, Vasteras, Sweden. IEEE, 2023
- Judith Michael, Istvan David, and Dominik Bork. "Digital Twin Evolution for Sustainable Smart Ecosystems". In: MODELS-C 2024 Companion, Linz, Austria. ACM, 2024

# Evolution of Digital Twins




# Evolution of Digital Twins



- Istvan David and Dominik Bork. "Towards a Taxonomy of Digital Twin Evolution for Technical Sustainability". In: MODELS-C 2023 Companion, Vasteras, Sweden. IEEE, 2023
- Judith Michael, Istvan David, and Dominik Bork. "Digital Twin Evolution for Sustainable Smart Ecosystems". In: MODELS-C 2024 Companion, Linz, Austria. ACM, 2024


# Rapid development of Digital Twins: Simulator inference by reinforcement learning

## Digital Twin



State actions	
Add DEVS state	$addState(M, s) : M' = M \mid S \cup \{s\}, ta(s) = \text{inf}$ (8)
Remove DEVS state	$removeState(M, s) : M' = M \mid S \setminus \{s\}$ (9)
State transition actions	
Add internal transition	$addIntTransition(M, \delta = (s_i, s_j)) : M' = M \mid \Delta_{int} \cup \{\delta\}$ (10)
Remove internal transition	$removeIntTransition(M, \delta \in \Delta_{int}) : M' = M \mid \Delta_{int} \setminus \{\delta\}$ (11)
Add external transition	$addExtTransition(M, \delta = (s_i, s_j)) : M' = M \mid \Delta_{ext} \cup \{\delta\}$ (12)
Remove external transition	$removeExtTransition(M, \delta \in \Delta_{ext}) : M' = M \mid \Delta_{ext} \setminus \{\delta\}$ (13)
Time advance actions	
Set time advance	$updateTa(M, s, t' \in \mathbb{R}_{0,+\infty}^+) : M' = M \mid ta(s) = t'$ (14)
Interacting with other models	
Add output	$addOutput(M, y) : M' = M \mid Y \cup \{y\}$ (15)
Remove output	$removeOutput(M, y \in Y) : M' = M \mid Y \setminus \{y\}$ (16)
Add input	$addInput(M, x) : M' = M \mid X \cup \{x\}$ (17)
Remove input	$removeInput(M, x \in X) : M' = M \mid X \setminus \{x\}$ (18)
Model initialization	
Set initial state	$setInitial(M, s \in S, 0 \leq e \leq ta(s)) : M' = M \mid q_{init} = (s, e)$ (19)

a specific DEVS configuration  
(structure and parameters)



State trajectory (observation frame)

- Istvan David and Eugene Syriani. "Automated Inference of Simulators in Digital Twins". In: Handbook of Digital Twins. To appear. CRC Press, 2023. isbn: 978-1-032-54607-0
- Istvan David and Eugene Syriani. "DEVS Model Construction as a Reinforcement Learning Problem". In: 2022 Annual Modeling and Simulation Conference (ANNSIM). IEEE. 2022, pp. 30–41.
- Istvan David, Jessie Galasso, and Eugene Syriani. "Inference of Simulation Models in Digital Twins by Re-inforcement Learning". In: MODELS-C 2021, IEEE, pp. 221–224.

# Social sustainability of Digital Twins



## Individual

Whose decisions are twinned anyways?

- Inclusive partnerships are key in fostering societally sustainability
- Include those who may be affected by the Digital Twins that govern socio-technical systems



## Society

Adoption in lower-income economies?

- Digital solutions that might not be viable in another context
- Variability, product families, validity frames



## Organizations

Who will adopt these solutions?

- Higher-digitalized domains: lack of agility, lack of understanding of benefits
- Lower-digitalized domains: lack of expertise, lack of trust

## VIENNA MANIFESTO ON DIGITAL HUMANISM

VIENNA, MAY 2019

»The system is failing« – stated by the founder of the Web, Tim Berners-Lee – emphasizes that while digitalization opens unprecedented opportunities, it also raises serious concerns: the monopolization of the Web, the rise of extremist opinions and behavior orchestrated by social media, the formation of filter bubbles and echo chambers as islands of disjoint truths, the loss of privacy, and the spread of digital surveillance. Digital technologies are disrupting societies and questioning our understanding of what it means to be human. The stakes are high and the challenge of building a just and democratic society with humans at the center of technological progress needs to be addressed with determination as well as scientific ingenuity. Technological innovation demands social innovation, and social innovation requires broad societal engagement.

**This manifesto is a call to deliberate and to act on current and future technological development.** We encourage our academic communities, as well as industrial leaders, politicians, policy makers, and professional societies all around the globe, to actively participate in policy formation. Our demands are the result of an emerging process that unites scientists and practitioners across fields and topics, brought together by concerns and hopes for the future. We are aware of our joint responsibility for the current situation and the future – both as professionals and citizens.

**Today, we experience the co-evolution of technology and humankind.** The flood of data, algorithms, and computational power is disrupting the very fabric of society by changing human interactions, societal institutions, economies, and political structures. Science and the humanities are not exempt. This disruption simultaneously creates and threatens jobs, produces and destroys wealth, and improves and damages our ecology. It shifts power structures, thereby blurring the human and the machine.

**The quest is for enlightenment and humanism.** The capability to automate human cognitive activities is a revolutionary aspect of computer science / informatics. For many tasks, machines surpass already what humans can accomplish in speed, precision, and even analytic deduction. The time is right to bring together humanistic ideals with critical thoughts about technological progress. We therefore link this manifesto to the intellectual tradition of humanism and similar movements striving for an enlightened humanity.

**Like all technologies, digital technologies do not emerge from nowhere.** They are shaped by implicit and explicit choices and thus incorporate a set of values, norms, economic interests, and assumptions about how the world around us is or should be. Many of these choices remain hidden in software programs implementing algorithms that remain invisible. In line with the renowned Vienna Circle and its contributions to modern thinking, we want to espouse critical rational reasoning and the interdisciplinarity needed to shape the future.

**We must shape technologies in accordance with human values and needs, instead of allowing technologies to shape humans.** Our task is not only to rein in the downsides of information and communication technologies, but to encourage human-centered innovation. We call for a Digital Humanism that describes, analyzes, and, most importantly, influences the complex interplay of technology and humankind, for a better society and life, fully respecting universal human rights.

# Twin transition



# Top Strategic Technology Trends 2024

Rise of the Builders

By 2027, 80% of CIOs will have performance metrics tied to the sustainability of the IT organization.

Source: Gartner

Threat Exposure Management




Technology

Workforce

Democratized Generative AI

# Sustainable systems

# ...by sustainable methods



Sustainability of and by digital tech





**Sustainable Systems and Methods**




Baran Shajari

By way of conclusion

# Foundations and Applications of Digital Twins



# Upcoming events and deadlines



1st International Workshop on Low Carbon Computing

19th Conference on Research Challenges in Information Science (RCIS'25)  
May 20-23, 2025  
Seville, Spain



Book series

## Simulation Foundations, Methods and Applications

### Artificial Intelligence in Modeling & Simulation

PJ Giabbanelli, I. David. 2025. Springer.  
Intent to submit a chapter: November '24. Intended publication: end of 2025.



### Theme Section: Modeling for Simulation

Intent to submit: 1 Jan, 2025  
Submission deadline: 1 Apr, 2025

### Theme Section: Modeling and Sustainability

Just wrapped up



### Theme Section: Digital Twins for Open, Programmable, and AI-driven Wireless Networks

Submission deadline: **now**

**BRIGHTER  
WORLD**

McMaster  
University 

**ENGINEERING**



**Sustainable  
Systems and Methods**

***Visit or join us in Hamilton, Ontario!***